

MH149-1A




Flat Surface Magnet Mounting Base with 1/4-28 Tapped Hole, 25 lbs. (11 kg) Pull Strength, 0.75 in. (19.05 mm) OD, 0.68 in. (17.27 mm) Height

VIBRATION ANALYSIS HARDWARE



Product Features

- ▶ Durable 17-4 Stainless Steel case and mounting hole
- ▶ High Strength Neodymium Iron Boron magnet optimizes pull strength and performance
- ▶ Maximum frequency response up to 10 kHz when paired with MH133-1A mounting target



Specifications

Max Temperature	266 °F (130 °C)
Case Material	17-4 Stainless Steel
Magnet Material	Neodymium Iron Boron
Dimensions	0.75 in. (19.05 mm) OD, 0.68 in. (17 mm) Height
Pull Strength	25 lbs. (11 kg)
Sensor Mounting	1/4-28 Mounting Hole

Chemical Compatibilities for Reference

- ▶ Gasoline - A
- ▶ Methanol - A
- ▶ Lubricants - A

Compatibility

- ▶ Compatible with all sensors with 1/4"-28 mounting stud or bolt
- ▶ Conversion mounting studs sold separately

Stock Product

Backed by our Unconditional Lifetime Warranty

www.ctconline.com | sales@ctconline.com | 585-924-5900