

MH154-1B

Flat Surface Magnet Mounting Base, 15 lbs. (7 kg) Pull Strength, 0.58 in. (14.73 mm) OD, 0.33 in. (8.38 mm) Height, 10-32 Integral Mounting Stud




VIBRATION ANALYSIS HARDWARE



Product Features

- ▶ Durable 17-4 Stainless Steel case and mounting stud
- ▶ High strength Neodymium Iron Boron magnet optimizes pull strength and performance
- ▶ Maximum frequency response up to 10 kHz when paired with MH133-1A mounting target



Specifications

Max Temperature	266 °F (130 °C)
Case Material	17-4 Stainless Steel
Magnet Material	Neodymium Iron Boron
Dimensions	0.58 in. (14.73 mm) OD, 0.33 in. (8.38 mm) Height
Pull Strength	15 lbs. (7 kg)
Sensor Mounting	10-32 Integral Stud

Chemical Compatibilities for Reference

- ▶ Gasoline - A
- ▶ Methanol - A
- ▶ Lubricants - A

Compatibility

- ▶ Compatible with all top exit sensors with 10-32 mounting holes

Stock Product

Backed by our Unconditional Lifetime Warranty

www.ctconline.com | sales@ctconline.com | 585-924-5900